

(11) Publication number: 2001110414 A

Generated Document,

## PATENT ABSTRACTS OF JAPAN

(21) Application number: 11282445

(51) Intl. Cl.: H01M 4/58 H01M 10/40

(22) Application date: 04.10.99

(30) Priority:

(43) Date of application

publication:

20.04.01

(84) Designated contracting

states:

(72) Inventor: TAKAHASHI MASAYA TOBISHIMA SHINICHI

TAKEI KOJI SAKURAI YOJI

(71) Applicant: NIPPON TELEGR & TELEPH CORP < NTT>

A second to the second of the

(74) Representative:


(54) MATERIAL FOR ACTIVATING POSITIVE ELECTRODE OF LITHIUM SECONDARY BATTERY AND THE LITHIUM SECONDARY BATTERY

(57) Abstract:

PROBLEM TO BE SOLVED: To enhance charging and discharging capacity of a lithium secondary battery during a large-current charging and discharging, where the lithium secondary battery uses a low-price material of iron phosphate lithium as a positive electrode.

SOLUTION: A powder 2 is carried on powder 1, where a powder 1 is formed of iron phosphate lithium series material having an olivine structure, which is indicated by the general expression LizFe1-yXyPO4  $(0 \le y \le 0.3, 0 \le z \le 1, X \text{ is at least one})$ selected from among magnesium, cobalt, nickel and zinc), while a powder 2 is formed of a material such that it has conductivity and whose oxidation-reduction potential is higher than that of a material for activating a positive electrode of a lithium secondary battery made of iron phosphate lithium series material. Therefore, a battery can be obtained which has larger charging and discharging capacity compared with others using an iron phosphate lithium series material that does not carry powders thereon, where charging and discharging capacity of the battery in relation to the invention is little decreased, even if charging and discharging current increases.

COPYRIGHT: (C)2001, JPO



<u>im</u>

## The Delphion Integrated View

Tools: Add to Work File: Create new Wor Get Now: More choices... View: INPADOC | Jump to: Top Ema

> **<b>⊗**Title: JP2001110414A2: MATERIAL FOR ACTIVATING POSITIVE ELECTR LITHIUM SECONDARY BATTERY AND THE LITHIUM SECONDARY B

JP Japan **②** Country:

> A2 Document Laid open to Public inspection i

**V**Inventor: TAKAHASHI MASAYA; TOBISHIMA SHINICHI;

TAKEI KOJI; SAKURAI YOJI;

NIPPON TELEGR & TELEPH CORP < NTT> **P**Assignee:

News, Profiles, Stocks and More about this company

Published / Filed: **2001-04-20** / 1999-10-04

> JP1999000282445 **P**Application

Number:

PIPC Code: H01M 4/58; H01M 10/40;

Priority Number: 1999-10-04 JP1999000282445

PAbstract:


PROBLEM TO BE SOLVED: To enhance charging and discharging capacity of a lithium secondary battery during a large-current charging and discharging, where the lithium secondary battery uses a low-price material of iron phosphate lithium as a positive electrode.

SOLUTION: A powder 2 is carried on powder 1, where a powder 1 is formed of iron phosphate lithium series material having an olivine structure, which is indicated by the general expression LizFe1-yXyPO4 (0≤y≤0.3, 0<z≤1, X is at least one selected from among magnesium, cobalt, nickel and zinc), while a powder 2 is formed of a material such that it has conductivity and whose oxidation-reduction potential is higher than that of a material for activating a positive electrode of a lithium secondary battery made of iron phosphate lithium series material. Therefore, a battery can be obtained which has larger charging and discharging capacity compared with others using an iron phosphate lithium series material that does not carry powders thereon, where charging and discharging capacity of the battery in relation to the invention is little decreased, even if charging and discharging current increases.

COPYRIGHT: (C)2001, JPO

None

PDF **Patent** Pub.Date Invent r **Assigne** Title



References:



Valence

Method of making lithi

**P**Other Abstract



US6528033 2003-03-04

Technology, Inc.

containing materials

CHEMABS 134(21)298399G CHEMABS 134(21)298399G







© 1997-2003 Thomson Delphion

Research Subscriptions | Privacy Policy | Terms & Conditions | Site Map | Contac